



Current Symptoms: Please rate the child on the following as occurring now or in the recent past:

Symptom	Frequently	Sometimes	Rarely	Never
Fails to give close attention to details or makes careless mistakes				
Has difficulty sustaining attention in tasks or play activities				
Doesn't seem to listen when spoken to directly				
Doesn't follow through on instructions and fails to finish tasks				
Has difficulty organizing tasks and activities				
Avoids, dislikes or is reluctant to engage in tasks that require sustained effort				
Loses things necessary for tasks or activities				
Is easily distracted by external stimuli				
Is forgetful in daily activities				
Fidgets with hands or feet or squirms in seat				
Leaves seat in situations in which remaining seated is expected				
Runs about or climbs excessively in situations in which it is inappropriate				
Has difficulty playing or engaging in leisure activities quietly				
Is "on the go" or acts as if "driven by a motor"				
Talks excessively				
Blurts out answers before the questions have been completed				
Has difficulty awaiting turn				
Interrupts or intrudes on others (e.g., butts into conversations or games)				
Symptom	Frequently	Sometimes	Rarely	Never
Loses temper				
Argues with adults				
Actively defies or refuses to comply with adults' requests or rules				
Deliberately annoys people				
Blames others for his or her mistakes or misbehavior				
Is touchy or easily annoyed by others				



Is angry or resentful				
Is spiteful or vindictive				
Symptom	Frequently	Sometimes	Rarely	Never
Bullies, threatens or intimidates others				
Initiates physical fights				
Has used a weapon that can cause serious physical harm to others				
Has been physically cruel to people				
Has been physically cruel to animals				
Has stolen while confronting a victim				
Has forced someone into sexual activity				
Has deliberately engaged in fire setting with intention of causing serious damage				
Has deliberately destroyed others' property (other than by fire setting)				
Has broken into someone else's house, building or cars				
Has stolen valuable items without confronting a victim (i.e., shoplifting)				
Stays out at night despite parental prohibitions				
Has run away from home overnight or longer				
Is truant from school				
Symptom	Frequently	Sometimes	Rarely	Never
Depressed or irritable mood most of the day				
Markedly diminished interest or pleasure in all or nearly all activities				
Weight loss when not dieting, or weight gain, or increase or decrease in appetite				
Insomnia (not sleeping) or Hypersomnia (sleeping too much)				
Overly agitated or slowed down in movements				
Fatigue or loss of energy				
Feelings of worthlessness or excessive or inappropriate guilt				
Diminished ability to think or concentrate, or indecisiveness				



Recurrent thoughts of death (not just fear of dying)				
Suicide thoughts without a plan for committing suicide				
Suicide attempts or planning of suicide				
Symptom	Frequently	Sometimes	Rarely	Never
Has experienced traumatic event(s)				
Has recurrent and intrusive distressing memories of traumatic event(s)				
Does repetitive play with themes or aspect of the traumatic event(s)				
Recurrent distressing dreams (with or without recognizable content)				
Acts or feels as if the traumatic event were recurring				
Psychological distress at internal or external reminders of the traumatic event(s)				
Physical reacting to internal or external reminder of the traumatic event(s)				
Tries to avoid thoughts, feelings or conversations associated with the event(s)				
Tries to avoid activities, places or people that arouse memories of the event(s)				
Inability to recall important aspects of the trauma(s)				
Markedly diminished interest of participation in significant activities				
Feeling of detachment or estrangement from others				
Restricted range of affect (i.e., unable to have loving feelings)				
Sense of foreshortened future				
Difficulty falling or staying asleep				
Irritability or outbursts of anger				
Difficulty concentrating				
Hypervigilance				
Exaggerated startle response				
Symptom	Frequently	Sometimes	Rarely	Never
Excessive distress when separation from home or loved ones is anticipated				
Excessive worry about losing, or harm happening to, a loved one				



Ruth Graham, MA LMHC  
 Child, Adolescent, Adult & Family Therapist  
 DBA Hope Counseling Centers

Excessive worry that some bad event will lead to separation from loved ones				
Reluctance or refusal to go to school or elsewhere because of fear of separation				
Excessive fear to be alone at home or elsewhere without loved ones				
Reluctance or refusal to go to sleep without being near loved ones				
Nightmares involving themes of separation				
Complaints of physical symptoms when separation occurs or is anticipated				
Substance use resulting in a failure to fulfill major obligations at school or work				
Substance use in situations in which it is physically hazardous (i.e., driving)				
Substance use related to legal problems				
Substance use despite recurring social or interpersonal problems caused by use				